

Cassette Art Flux 360°

KCIBF-56 DN4.0 / KCIBF-71 DN4.0 / KCIBF-80 DN4.0

PRODUCT SHEET



KI-03 S

Recommended controller




Product certified by: **CE**



FEATURES

Model	KCIBF-56 DN4.0	KCIBF-71 DN4.0	KCIBF-80 DN4.0
Cooling capacity	5,60 kW	7,10 kW	8 kW
Heating capacity	6,30 kW	8 kW	9 kW
Heating power input	31 W	46 W	48 W
Airflow	704/857/1.029 m³/h	748/996/1.200 m³/h	811/1.055/1.264 m³/h
Sound pressure	34/38/43 dB(A)	34/39/45 dB(A)	35/40/46 dB(A)
Pipe diameter	Ø3/8" / Ø5/8"	Ø3/8" / Ø5/8"	Ø3/8" / Ø5/8"
Drain tube diameter	Ø32 mm	Ø32 mm	Ø32 mm
Power supply	220-240 V / 1 / 50 Hz		
Max. input	15 A	15 A	15 A
Interconnection cable	3x2,50 mm²	3x2,50 mm²	3x2,50 mm²
Com. bus shielded	3x0,75 mm²	3x0,75 mm²	3x0,75 mm²

WIRING DIAGRAM





Power supply terminal



NOTES:

- (1) The data and specifications present in this sheet may vary without notice.
- (2) The images on this sheet are indicative and may be different from the final machine.

DIMENSIONS & WEIGHT

Model	KCIBF-56 DN4.0	KCIBF-71 DN4.0	KCIBF-80 DN4.0
Panel Model			
	Weight	23,20 kg	23,20 kg
			
Weight	5 kg		

INSTALLATION



Cassette Art Flux 360°

KCIBF-100 DN4.0 / KCIBF-112 DN4.0 / KCIBF-140 DN4.0

PRODUCT SHEET



KI-03 S

Recommended controller




Product certified by: **CE**



FEATURES

Model	KCIBF-100 DN4.0	KCIBF-112 DN4.0	KCIBF-140 DN4.0
Cooling capacity	10 kW	11,20 kW	14 kW
Heating capacity	11 kW	12,50 kW	16 kW
Heating power input	75 W	75 W	94 W
Airflow	1.034/1.239/1.596 m³/h	1.034/1.239/1.596 m³/h	1.224/1.426/1.727 m³/h
Sound pressure	36/41/47 dB(A)	36/41/47 dB(A)	35/45/50 dB(A)
Pipe diameter	Ø3/8" / Ø5/8"	Ø3/8" / Ø5/8"	Ø3/8" / Ø5/8"
Drain tube diameter	Ø32 mm	Ø32 mm	Ø32 mm
Power supply	220-240 V / 1 / 50 Hz		
Max. input	15 A	15 A	15 A
Interconnection cable	3x2,50 mm²	3x2,50 mm²	3x2,50 mm²
Com. bus shielded	3x0,75 mm²	3x0,75 mm²	3x0,75 mm²

WIRING DIAGRAM





Power supply terminal

NOTES:

(1) The data and specifications present in this sheet may vary without notice.

(2) The images on this sheet are indicative and may be different from the final machine.

DIMENSIONS & WEIGHT

Model	KCIBF-100 DN4.0	KCIBF-112 DN4.0	KCIBF-140 DN4.0
			
Weight	28,40 kg	28,40 kg	30,70 kg
Panel Model			
Weight	5 kg		

INSTALLATION

