



OWNER'S MANUAL

Air Purifier

KPU-350.1



READ AND SAVE THESE INSTRUCTIONS

Attention: Pictures in the IM are for reference only.

CAUTION

Read Rules for Safe Operation and Instructions Carefully.

WARNING

- If the supply cord is damaged, it must be replaced by manufacturer, its service agent or a similarly qualified person in order to avoid a hazard.
- 2. This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
- 3. Correct Disposal of this product This marking indicates that this product should not be disposed with other household wastes throughout the EU. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection systems or contact the retailer where the product was purchased. They can take this product for environmental safe recycling. The packaging material is recyclable. Dispose of the packaging in an environmentally friendly manner and make it available for the recyclable material collection-service.
- 4. Indoor and household use only.
- 5. When the appliance is not in use and before cleaning, unplug the appliance from the outlet.
- 6. To protect against the risk of electrical shock, do not immerse the unit, cord or plug in water or other liquid.
- 7. Do not place other items on top of the appliance, and forbid sitting or standing on this appliance.
- 8. Please use the original filter provided by the factory. In


- case of other filters, the best results cannot be achieved.
- Do not insert the fingers or objects into the air inlets or air outlets to prevent the product from physical damages or malfunction.
- 10. Please unplug the power cord immediately and contact the service center in time when the appliance suffers abnormal sound or burnt smell or smoke.
- 11. Do not spray flammable substances near the appliance; Do not spray water directly on the appliance or use chemical cleaners like alcohol or hydrochloric acid, etc.; Do not place water containers, medicines, or flammable materials on the appliance.
- 12. Do not block the air inlets/outlets of the appliance with any item.
- 13. This appliance cannot replace natural ventilation and other appliances like the vacuum cleaner, kitchen ventilator, etc.
- 14. When the appliance is working, it must be placed on a dry, flat and stable floor, with at least 30cm space reserved around it.
- 15. Do not put it in a place with direct sunlight.
- 16. To prevent electromagnetic disturbance, the appliance must keep a certain distance from the TV, radio, microwave oven and others.
- 17. The mist produced by the ultrasonic humidifier may affect the PM2.5 detection of this appliance, and both should maintain a certain distance.
- 18. Do not disassemble or modify this appliance without authorization to avoid accidents.
- 19. Do not pull the power cord to move the appliance.
- 20. This appliance incorporates an earth connection for functional purposes only.


Product Instruction

Attention

The pictures contained in the Manual are for reference only, and please be subject to the physical product in the packing box.

Component name





Installation Instructions

Installation steps

1 Remove the air inlet grill



3 Take out the HEPA filter Hold both sides of the HEPA filter with both hands, and take it out



5 Install the HEPA filter



7 Install the air inlet grille


Align the slot position at the bottom, press both sides of the upper part of the air inlet grill, and buckle up the air inlet grill.



2 Take out the Pre-Filter
Press down and pull the
U-shaped snap joint, and take
out the Pre-Filter.



4 Remove the protective film of the filter assembly



6Install the Pre-Filter

Align the slot position at the bottom, and click into the upper U-shaped snap joint.




8 Plug power supply



Instructions

Control panel



Display panel



Test Run

⚠ Attention


- This appliance has the function of disassembling protection, so it cannot be started normally until all air inlet grilles are installed correctly.
- In case of continuous electricity, enter the working mode before the standby state, after each power on
- The appliance is connected to the power again after unexpected power outage (when the power is
 off or the power cord is unplugged during normal operation), and then restores to the working state
 before the power outage.

1 Preparation

Power on for the first time, the display panel flashes for 1s, and then the screen is turned off. The whole appliance is the standby state;

2 Remove the protective film of the filter assembly.





3 Install the filter



4 On/standby Press on/standby button



5 Warm up

When the particulate matter sensor enters the warm-up state, PM2.5 numerical display shows "---", and is normal after 10s.

6 Work

The purifier is powered on for the first time and then enters the automatic mode.





Cleaning and Maintenance

Body cleaning

⚠ Attention

· Be sure to turn it off before any maintenance, and cut off power.

Host

Wipe the body with a soft towel.



Air inlet grille

Open the air inlet grill, vacuum up dust with a vacuum cleaner or wipe it with a cloth.



Air outlet grille

Remove the air outlet grill, vacuum up dust with a vacuum cleaner or wipe it with a cloth




Cleaning of the Pre-Filter

- It is recommended to clean the Pre-Filter at least once every two weeks. The cleaning cycle can
 be based on the usage environment and time, seriously polluted environment should be cleaned
 frequently.
 - 1 Unplug the appliance, and take out the Pre-Filter.



3 If there is a lot of dirt, the common kitchen detergents is diluted and used first, and then do the cleaning.




5 Assemble the Pre-Filter and the Air inlet grille



2 Vacuum the dust or wipe it with a



4 Dry the Pre-Filter




6 Plug in the appliance, and start it.



Replacement of the filter components

Filter model: FC-35S1A (include 1)



Replace a new filter



When the filter replacement light is on, it reminds that the HEPA filter should be replaced. If it is not replaced in time, the prompt will appear every startup.



Long press timing button for 3s,reset the HEPA filter.



Service Guide

Faults Handling

Before inviting someone to inspect or repair, please check the following items.

Error code	Error description	Handling method
81		Properly installed inlet grille
ευ	Sensor failure	Contact the after-sales
8	Abnormal fan speed	Contact the after-sales



MAIN OFFICE Blasco de Garay, 4-6 08960 Sant Just Desvern (Barcelona) Tel. +34 93 480 33 22 http://www.frigicoll.es/ http://www.kaysun.es/en/

MADRID
Senda Galiana, 1
rn Polígono Industrial Coslada
Coslada (Madrid)
Tel. +34 91 669 97 01
s/ Fax. +34 91 31 674 21 00
madrid@frigicoll.es